

Refine Search

Search Results -

Terms	Documents
L5 and L7	49

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L8

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Wednesday, November 03, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L8</u>	l5 and L7	49	<u>L8</u>
<u>L7</u>	micro\$1controller	48789	<u>L7</u>
<u>L6</u>	microcontroller	45588	<u>L6</u>
<u>L5</u>	l2 and l3 and L4	375	<u>L5</u>
<u>L4</u>	dsp	45948	<u>L4</u>
<u>L3</u>	l1 with (stor\$5 or writ\$5)	9127	<u>L3</u>
<u>L2</u>	(mov\$5 or migrat\$5 or transfer\$5) with (code or data or program)	520850	<u>L2</u>
<u>L1</u>	(break\$5 or split\$5) with (data or code or program)	56797	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; height: 30px; width: 100%;"></div>
Display:	<input type="text" value="15"/> Documents in <u>Display Format:</u> <input type="text" value=""/> Starting with Number <input type="text" value="1"/>
Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image

Search

Clear

Interrupt

Search History

DATE: Wednesday, November 03, 2004 [Printable Copy](#) [Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L10</u>	14 and 17 and L9	16	<u>L10</u>
<u>L9</u>	((break\$5 or split\$5) with (data or code or program)).ab.	12506	<u>L9</u>
<u>L8</u>	15 and L7	49	<u>L8</u>
<u>L7</u>	micro\$1controller	48789	<u>L7</u>
<u>L6</u>	microcontroller	45588	<u>L6</u>
<u>L5</u>	12 and 13 and L4	375	<u>L5</u>
<u>L4</u>	dsp	45948	<u>L4</u>
<u>L3</u>	11 with (stor\$5 or writ\$5)	9127	<u>L3</u>
<u>L2</u>	(mov\$5 or migrat\$5 or transfer\$5) with (code or data or program)	520850	<u>L2</u>
<u>L1</u>	(break\$5 or split\$5) with (data or code or program)	56797	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L14 and L11	352

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Wednesday, November 03, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	114 and 111	352	<u>L19</u>
<u>L18</u>	114 and 116	2668	<u>L18</u>
<u>L17</u>	115 and L16	2	<u>L17</u>
<u>L16</u>	11 and 17	21682	<u>L16</u>
<u>L15</u>	112 and L13	37	<u>L15</u>
<u>L14</u>	112 or L13	121628	<u>L14</u>
<u>L13</u>	379/\$.ccls.	98470	<u>L13</u>
<u>L12</u>	711/\$.ccls.	23195	<u>L12</u>
<u>L11</u>	19 and L10	4281	<u>L11</u>
<u>L10</u>	((writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))).ab,clm.	60408	<u>L10</u>

<u>L9</u>	((divid\$5 or split\$5 or partition\$5) with (program or code or data)).ab,clm.	90745	<u>L9</u>
<u>L8</u>	l3 and L7	1949	<u>L8</u>
<u>L7</u>	(divid\$5 or split\$5 or partition\$5) with (program or code or data)	200559	<u>L7</u>
<u>L6</u>	l4 and L5	159	<u>L6</u>
<u>L5</u>	(link\$5 with memory).ab.	8614	<u>L5</u>
<u>L4</u>	((writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))).ab.	46991	<u>L4</u>
<u>L3</u>	l1 and L2	4562	<u>L3</u>
<u>L2</u>	link\$5 with memory	40110	<u>L2</u>
<u>L1</u>	(writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))	102492	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L20 and L23 and L24	184

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L25

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Wednesday, November 03, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L25</u>	L20 and L23 and L24	184	<u>L25</u>
<u>L24</u>	(writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code))	24093	<u>L24</u>
<u>L23</u>	(divid\$5 or split\$5) with (program or code)	52845	<u>L23</u>
<u>L22</u>	116 and 120	1274	<u>L22</u>
<u>L21</u>	119 and L20	11	<u>L21</u>
<u>L20</u>	dsp	45948	<u>L20</u>
<u>L19</u>	114 and 111	352	<u>L19</u>
<u>L18</u>	114 and 116	2668	<u>L18</u>
<u>L17</u>	115 and L16	2	<u>L17</u>
<u>L16</u>	11 and 17	21682	<u>L16</u>

<u>L15</u>	112 and L13	37	<u>L15</u>
<u>L14</u>	112 or L13	121628	<u>L14</u>
<u>L13</u>	379/\$.ccls.	98470	<u>L13</u>
<u>L12</u>	711/\$.ccls.	23195	<u>L12</u>
<u>L11</u>	19 and L10	4281	<u>L11</u>
<u>L10</u>	((writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))).ab,clm.	60408	<u>L10</u>
<u>L9</u>	((divid\$5 or split\$5 or partition\$5) with (program or code or data)).ab,clm.	90745	<u>L9</u>
<u>L8</u>	13 and L7	1949	<u>L8</u>
<u>L7</u>	(divid\$5 or split\$5 or partition\$5) with (program or code or data)	200559	<u>L7</u>
<u>L6</u>	14 and L5	159	<u>L6</u>
<u>L5</u>	(link\$5 with memory).ab.	8614	<u>L5</u>
<u>L4</u>	((writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))).ab.	46991	<u>L4</u>
<u>L3</u>	11 and L2	4562	<u>L3</u>
<u>L2</u>	link\$5 with memory	40110	<u>L2</u>
<u>L1</u>	(writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))	102492	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;">mcu and L31</div>
Display:	<div style="border: 1px solid black; padding: 2px;">15</div> Documents in <u>Display Format:</u> <div style="border: 1px solid black; padding: 2px;">-</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div>
Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image

Search

Clear

Interrupt

Search History

DATE: Wednesday, November 03, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L32</u>	mcu and L31	35	<u>L32</u>
<u>L31</u>	l20 and l23 and cache	388	<u>L31</u>
<u>L30</u>	l20 and L29	6	<u>L30</u>
<u>L29</u>	l23 and L28	6	<u>L29</u>
<u>L28</u>	cache and L27	78	<u>L28</u>
<u>L27</u>	dma near1 arbiter\$5	177	<u>L27</u>
<u>L26</u>	l14 and L25	23	<u>L26</u>
<u>L25</u>	l20 and l23 and L24	184	<u>L25</u>
<u>L24</u>	(writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code))	24093	<u>L24</u>
<u>L23</u>	(divid\$5 or split\$5) with (program or code)	52845	<u>L23</u>
<u>L22</u>	l16 and l20	1274	<u>L22</u>
<u>L21</u>	l19 and L20	11	<u>L21</u>

<u>L20</u>	dsp	45948	<u>L20</u>
<u>L19</u>	l14 and l11	352	<u>L19</u>
<u>L18</u>	l14 and l16	2668	<u>L18</u>
<u>L17</u>	l15 and L16	2	<u>L17</u>
<u>L16</u>	l1 and l7	21682	<u>L16</u>
<u>L15</u>	l12 and L13	37	<u>L15</u>
<u>L14</u>	l12 or L13	121628	<u>L14</u>
<u>L13</u>	379/\$.ccls.	98470	<u>L13</u>
<u>L12</u>	711/\$.ccls.	23195	<u>L12</u>
<u>L11</u>	l9 and L10	4281	<u>L11</u>
<u>L10</u>	((writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))).ab,clm.	60408	<u>L10</u>
<u>L9</u>	((divid\$5 or split\$5 or partition\$5) with (program or code or data)).ab,clm.	90745	<u>L9</u>
<u>L8</u>	l3 and L7	1949	<u>L8</u>
<u>L7</u>	(divid\$5 or split\$5 or partition\$5) with (program or code or data)	200559	<u>L7</u>
<u>L6</u>	l4 and L5	159	<u>L6</u>
<u>L5</u>	(link\$5 with memory).ab.	8614	<u>L5</u>
<u>L4</u>	((writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))).ab.	46991	<u>L4</u>
<u>L3</u>	l1 and L2	4562	<u>L3</u>
<u>L2</u>	link\$5 with memory	40110	<u>L2</u>
<u>L1</u>	(writ\$4 or allocat\$5 or stor\$4) with ((part or portion or section) near2 (program or code or data))	102492	<u>L1</u>

END OF SEARCH HISTORY